

Lived Vision



ENTRANCE DOORS

PRIME MODELS

2024

ALUMINIUM-WOOD


PRIMEMODELS 2024

Sophisticated front doors

The decisive factor for your well-considered purchase decision is certainly the appearance.

The spark must jump over. Whether modern, classic, purist or charming - the front door must suit you and the style of your house. Aluminium-wood front doors from KNEER-SÜDFENSTER are not only beautiful to look at and inviting, but also convince through inner values such as a robust construction, high security and good thermal insulation.

An innovative, technically mature front door fulfills its tasks for many years and looks very good at the same time!



Welcome to Kneer-Südfenster

For 90 years the family business KNEER-SÜDFENSTER has been producing high-quality building elements for demanding clients from aluminum-wood, wood, aluminum, aluminum-plastic and plastic.

Around 800 employees manufacture windows, lift-and-slide doors, mullion-transom facades and entrance doors according to the latest findings in the highest quality for customers all over the world.



MODEL OVERVIEW	4
ENTRANCE DOORS MODELS	6
ALUMINIUM COLOURS PG1	24
WOOD TYPES & COLOURS	25
GLAZING	26
STAINLESS STEEL EQUIPMENT	27
BLACK EQUIPMENT	28
SPECIAL EQUIPMENT	30
FINGERPRINT	31
SAFETY TECHNOLOGY	32
TECHNICAL DATA	34
ALSO AVAILABLE	38

MODEL OVERVIEW



HT A **24-215** > page 6



HT A **24-220** > page 8



HT A **24-226** > page 10



HT A 24-213 > page 14



HT A **24-216** > page 16



HT A 24-201 > page 18



HT A 24-203 > page 18



HT A **24-207** > page 18



HTA 24-706



HT A 24-707 > page 22



HT A 24-709 > page 22



HT A 24-710 > page 22



HT A 24-218 > page 14



HT A **24-219** > page 14



HT A **24-205** > page 16



HT A **24-206** > page 16



HT A **24-701** > page 20



HT A **24-702** > page 20



HT A **24-703** > page 20



HT A **24-705** > page 20



HT A **24-127** > page 23



HT A 24-128 > page 23



HT A 24-129 > page 23



HT A 24-130 > page 23



HT A 24-215

Standard equipment colour HWF-RAL9007-FME grey aluminium wood type spruce, colour AH-LAS-100-10 rosette "round" BA 3502

WELCOME AT HOME

Elegance redefined. This entrance door is a simple beauty. Reduced to the essentials, with subtle details that shine in the light. Discover true luxury in your entrance area.

Standard equipment

automatic-lock with daytime function | roller hinges, silver | entrance door outside, in RAL-colour according to colour chart PG 1 & PG 2 entrance door inside, pine, spruce or meranti, colour according to colour chart | internal grip plate | LED-handle illumination rosette "round" freely selectable





HT A 24-220


fully concealed hinges colour HWF-7773-FME cast iron wood type spruce, colour AH-LAS-101-05 rosette "round" BA 3518

TIMELESS ELEGANT

Behind the charming exterior hides the latest technology and innovative security equipment of resistance class RC 2. A modern entrance door means more protection, security and well-being.

Standard equipment

automatic-lock with daytime function | roller hinges, silver | entrance door outside in RAL-colour according to colour chart PG 1 and PG 2 entrance door inside, pine, spruce or meranti, colour according to colour chart | handle aluminium in powdercoated RAL 9005 jet black fine structure matt LED-handle illumination | rosette "round" freely selectable | ① Only available with illustrated handle in jet black or silver





HT A 24-226

fully concealed hinges frame colour HWF-RAL9005-FMA jet black door leaf concrete-look wood type spruce, colour AH-LAS-101-05 handle BA 3056 rosette "round" BA 3518

The concrete-look is only possible on the outside.



THE AESTHETIC LIES IN THE RESTRAINT

Rough surface embossed with pores: the concrete-appearance is timeless and elegant. The combination with wood inside is an intersting mix: A unique entrance door with unmistakable appearance for discerning builders with a faible for the special.

Standard equipment

automatic-lock with daytime function | roller hinges, silver | frame colour outside HWF-RAL9005-FMA jet black | door leaf outside concrete-look | entrance door inside, pine, spruce or meranti, colour according to colour chart | handle and rosette freely selectable

HT A 23-226 frame colour HWF-RAL9005-FMA jet black door leaf concrete-look | handle BA 3056 | round rosette BA 3518



YOUR ENTRANCE DOOR, YOUR STYLE

Give your entrance a touch of character with our new design surfaces.

The combination of black with natural wooden decors creates an inviting cosiness, while modern rust or concrete looks give your entrance door an industrial charm.

These entrance doors can be customised with the following design surfaces:

HT A 24-201 | HT A 24-203 | HT A 24-205 | HT A 24-206 | HT A 24-207 | HT A 24-213 | HT A 24-216 | HT A 24-219 You can also choose from our standard colours (aluminium colours PG 1 and PG 2).







EQUIPMENT ALSO AVAILABLE IN STAINLESS STEEL



HT A 24-213 frame colour HWF-RAL9005-FMA jet black door leaf surface Corten | handle BA 3066 rosette "round" BA 3518



HARMONIUOS LOOK

A lovingly designed entrance area gives us the feeling of being welcomed with open arms and delights us anew every day.

The various exterior and interior finishes and a wide range of colour options are the perfect expression of individual taste.



frame colour HWF-RAL9005-FMA jet black door leaf colour HWF-RAL9007-FME grey aluminium glazing satinato white | handle BA 3055 rosette "round" BA 3518 | grooves



frame colour HWF-RAL9005-FMA jet black door leaf colour HWF-RAL9007-FME grey aluminium glazing satinato white | handle BA 3053 | rosette "round" BA 3518 | jet black applications



EQUIPMENT ALSO AVAILABLE IN STAINLESS STEEL



INDIVIDUALLY & ROBUST

WELCOMING ATMOSPHERE

Your new entrance door should meet many requirements: First and foremost, it must please you, but it must also fit your house. It should be extremely robust, weatherproof and easy to clean. You also attach great importance to security. So you expect a high level of burglar resistance. And then there is the thermal and sound insulation! All these wishes are fulfilled with aluminum-wood entrance doors from KNEER-SÜDFENSTER without any problems.

HT A 24-205

frame colour HWF-RAL9005-FMA jet black | door leaf surface oak-concrete | partially sandblasted glass in the number field glass and house number Iso light | handle BA 3055 rosette "round" BA 3518 | jet black applications




HT A 24-206

frame colour HWF-RAL9005-FMA jet black door leaf colour HWF-RAL9006-FME white aluminium glazing satinato white | handle BA 3055 rosette "round" BA 3518 | jet black pilaster stripes



HT A 24-216

frame colour HWF-RAL9005-FMA jet black door leaf colour HWF-RAL9006-FME white aluminium glass partially sandblasted | handle BA 3055 rosette "round" BA 3518



EQUIPMENT ALSO AVAILABLE IN JET BLACK



HT A 24-201
frame colour HWF-RAL9005-FMA jet black

door leaf surface concrete dark handle BA 3001 | rosette "round" BA 3502 stainless steel base plate



HT A 24-203

colour HWF-DB703-FME DB 703 handle BA 3001 | rosette "round" BA 3502 stainless steel pilaster stripes

OAK & LARCH CROSS VENEERED



STYLISH WOOD VENEERS


The door leaf can be designed in the interior in the types of wood oak and larch. The cross veneer is executed brushed. The colour differences and rough branches are deliberately emphasized. The veneer of the surface is much more knotty and lively like that of the oak.

The expression of the individual veneers can nevertheless vary. The frame is executed in a covering shade.



HT A 24-207

colour HWF-DB703-FME DB 703 | glass sandblasted with clear stripes | handle round stainless steel *special edition model* BA 3070, 500 mm | rosette "round" BA 3502 | stainless steel pilaster stripes



BASIC+

ALL MODELS ONLY WITH THE SHOWN HANDLES AVAILABLE



HT A 24-701

colour HWF-RAL9016-FMA traffic white glazing satinato white | handle BA 3047, 1600 mm rosette "round" BA 3502



HT A 24-703

colour HWF-RAL7016-FMA anthracite grey glazing satinato white | handle BA 3047, 1600 mm rosette "round" BA 3502



HT A 24-702

colour HWF-RAL9016-FMA traffic white glazing satinato white | handle BA 3047, 1600 mm rosette "round" BA 3502



HT A 24-705

colour HWF-RAL7016-FMA anthracite grey glazing satinato white | handle BA 3047, 1600 mm rosette "round" BA 3502



BASIC+

ALL MODELS ONLY WITH THE SHOWN HANDLES AVAILABLE



HT A 24-706

colour HWF-RAL9016-FMA traffic white glazing satinato white | handle BA 3047, 1600 mm rosette "round" BA 3502



HT A 24-709

colour HWF-RAL7016-FMA anthracite grey handle BA 3047, 1600 mm rosette "round" BA 3502 | stainless steel pilaster stripes



HT A 24-707

colour HWF-RAL9016-FMA traffic white handle BA 3047, 1600 mm rosette "round" BA 3502



HT A 24-710

colour HWF-RAL7016-FMA anthracite grey glazing satinato white | handle BA 3047, 1600 mm rosette "round" BA 3502

BASIC

ALL MODELS ONLY WITH THE SHOWN HANDLES AVAILABLE



HT A 24-127

colour HWF-RAL9016-FMA traffic white glazing satinato white | handle BA 3071, 1000 mm rosette "round" BA 3502



HT A 24-129

colour HWF-RAL7016-FMA anthracite grey glazing satinato white | handle BA 3071, 1000 mm rosette "round" BA 3502



HT A 24-128

colour HWF-RAL9016-FMA traffic white glazing satinato white | handle BA 3071, 1000 mm rosette "round" BA 3502



HT A 24-130

colour HWF-RAL7016-FMA anthracite grey glazing satinato white | handle BA 3071, 1000 mm rosette "round" BA 3502

ALUMINIUM COLOURS PG1



ALUMINIUM SPECIAL COLOURS

1 PG 2 | see category Also available

RAL colour at choice smooth-matt

2 PG 3 - 5 | see category Also available

RAL colour at choice smooth-glossy, fine structure and highly weather resistant (HWF) as far as possible

NOTE The following colours are not available: NCS-, DB- and RAL design colour card, wood decors, pearl effect



WOOD TYPES & COLOURS





brushed light



LARCH CROSS VENEERED OAK CROSS VENEERED brushed light

Cross veneer wood surfaces are not possible with BASIC entrance doors

CROSS VENEER WOOD SURFACES

Additionally you can get the wood types oak and larch. The cross veneers are executed brushed and get a bright colour. The colour differences and rough branches are deliberately emphasized. The veneer of larch is much more knotty and lively as that of the oak. The expression of the individual veneers can nevertheless vary.

For the door frame these two colors are not available, as a combination we recommend an opaque color such as RAL 9005 jet black to match the black equipment section.

GLAZING

To make your new front door even more individual, we offer special glasses for you to choose from. In addition to Iso light, we also offer various ornamental glass types. Or would you prefer Satinato white with a clear edge? Very elegant!



SATINATO WHITE*



CHINCHILLA WHITE*



MASTERCARRE WHITE*



SATINATO WITH CLEAR EDGE



SILVIT WHITE



GOTHIK WHITE



MADRAS PAVE WHITE



MADRAS UADI WHITE



BAROCK WHITE



MIRROR ON THE INSIDE

All doors without glass cutout are perfectly suitable for designing with a large mirror (approx. 30 cm wide). This is a decorative as well as practical design and changes the design in the entrance area.

The following doors are available with mirror:

HT A 24-201 | HT A 24-203 | HT A 24-213 | HT A 24-215

HT A 24-220 | HT A 24-226 | HT A 24-707 | HT A 24-709

STAINLESS STEEL EQUIPMENT



HANDLE BAR HALF-ROUND

dimension and type:

1480 mm - BA 3030 1280 mm - BA 3011 1040 mm - BA 3004



HANDLE BAR ROUND

dimension and type:

1480 mm - BA 3001 1200 mm - BA 3003 500 mm - BA 3010



KNOB ROUND

type: BA 3006

NOTE

For **PREMIUM** entrance doors you can choose between these handle bars

INTERIOR HANDLES & EXTERIOR ROSETTES

PREMIUM, **BASIC**⁺ and **BASIC** front doors are standardly equipped with stainless steel fittings and interior handle BA 3502. On request, a handle can be selected on the outside instead of the handle bar. The outside lever handle is identical with the inside lever handle (without surcharge). You will receive 5 keys in the standard.



INTERIOR HANDLE ROUND

cylinder cover: rosette "round" type: BA 3502




INTERIOR HANDLE ANGULAR

cylinder cover: rosette "angular" type: BA 3506



PROFILE CYLINDER

with drilling protection and 5 reversible keys



AUBEN PLANO-ROSETTE RUND

with interior handle "round" type: BA 3522



AUBEN PLANO-ROSETTE ECKIG

with interior handle "angular" type: BA 3523

BLACK EQUIPMENT



Fully on trend:

Accessories in an elegant very intense black. Mysterious, traditional and fascinating.

Magical forces captivate your visitors and convey an enchanting, sparkling atmosphere of well-being.

Surprise family, friends and acquaintances with a high quality entrance door made especially for you, including the most state-of-the-art technology.

Made with decades of experience.



HANDLE BAR HALF-ROUND

dimension and type:

1480 mm - BA 3052 1280 mm - BA 3053 1040 mm - BA 3054



HANDLE BAR ROUND

dimension and type:

1480 mm - BA 3055 1200 mm - BA 3056 500 mm - BA 3057



INTERIOR HANDLE ROUND

cylinder cover: rosette "round" type: BA 3518



INTERIOR HANDLE ANGULAR

cylinder cover: rosette "angular" type: BA 3521



FINGERPRINT




OUTSIDE PLANO-ROSETTE ROUND

with interior handle "round" type: BA 3519



OUTSIDE PLANO-ROSETTE ANGULAR

with interior handle "angular" type: BA 3520











PILASTER STRIPES

SPECIAL EQUIPMENT

ACCESS OPTIONS

All doors are equipped as standard with an automatic lock (without E-opener).

By pulling the door, the latch bolts at the top and bottom of the door automatically move 20 mm into the bolting bar. As a result, the door is always locked - without locking with the key. A day trap (also called snapper or latch) is also integrated in the lock, however, the automatic locking must be deactivated for use.

1 E-OPENER

Electric door opener - for using, the automatic lock has to be deactiveted manually. The E-opener is integrated in the face plate.

- ✓ Easy opening of the door by actuation of e.g. the domestic intercom system
- √ No need to walk to the door

2 AUTOMATIC LOCK WITH M-OPENER

Door opener with motor-driven release - By pulling the door closed the multipoint lock will be activated without locking it. Releasing is done by pressing the handle or for instance by a domestic intercom system.

Electrical opening options such as fingerprint or domestic intercom system are overriden by manual relocking.

- ✓ Maximum security without locking
- √ The automatic and the motorised locking complement each other
- √ Ideal for access system in single and multi-family houses

3 FULL MOTORIZED LOCK

Opening and closing is motorized - as if by magic. As soon as the door falls into the lock, the lock independently closed, without any manual closing. The opening of the door is comfortably motorized via door opener the intercom system or via access systems.

- ✓ Maximum comfort and security
- √ Increased tightness
- \checkmark Panic function as standard, opening the door from insinde is always guaranteed

FULLY CONCEALED HINGES

You have the possibility to upgrade all front doors with concealed hinges.







FINGERPRINT

KEYLESS ACCESS

Smart access with fingerprint because intelligent building utilisation begins directly at your new entrance door.

While keys, codes or cards can be forgotten, lost or stolen your finger is alway with you.

But a fingerprint is even more - it gives the entrance door with new features a smart upgrade!

This creates more comfort and safety in everydays life and for the whole familiy.





SECURITY





AS A KEY

PUSH-NOTIFICATIONS

PERSONALISED
TIME FRAMES

SMART REMOTE OPENING






- √ 4-segmental luminous ring for visual signalling
- ✓ with provider-app for smart functions
- √ single-user management included as standard.
- √ access system is managed via smartphone or tablet





- 4-segmental luminous ring for visual signalling
- ✓ with provider-app for smart functions
- √ single-user management included as standard.
- √ access system is managed via smartphone or tablet

"stainless steel" half-round: 1280 mm - BA 3076 or 1480 mm - BA 3077 "black" half-round: 1280 mm - BA 3078 or 1480 mm - BA 3079



MANAGE FINGERPRINGT-SYSTEM WITH THE PROVIDER-APP

The app as a managment centre, where you can assign roles and authorisations for family, friends or service providers, among other things.

Push notifications let users know that their loved ones have arrived home safely. The front door can also be opened remotely. The connection to the Amazon Alexa voice assistant provides additional convenience at the front door - your practical everyday helper!

SYSTEM REQUIREMENTS

The fingerprint can only be integrated with a **functioning WLAN** and the corresponding ekey binoyx app. The app can be downloaded via the Play Store or App Store. A smartphone or tablet with the following requirements is necessary for installation and commissioning: Android 9 or higher, iPhone or iPad requires iOS 14.0 or higher.





SAFETY TECHNOLOGY

SECURITY AND SAFETY FOR YOUR HOME

Your new entrance door should be inviting for visitors and deterrent for burglars.

 $First\ and\ foremost,\ it\ must\ guarantee\ safety\ because\ burglars\ choose\ this\ way\ more\ and\ more\ often.$

Even with the basic equipment we therefore attach great importance to the solid safety mechanism.





SAFETY COMPONENTS

STANDARD EQUIPMENT

- 1 Lock tested corresponding to security class RC 2: When closing the door the latch bolts drive 20 mm into the bolting bar via a magnetic impuls at the top and bottom of the door. Therefore the door is always closed - without re-closing with a key.
- 2 The main bolt can be locked with a key turn the lever blocks for control purposes, as a child safety lock and for maximum security.
- 3 Continuous bolting bar: protection against prying on the lock side

- 4 Cylinder with drill protection
- 5 5 Interior handle in stainless steel with exterior cylinder cover: serves as a pull protection for the cylinder
- 6 Stable roller conveyor: triple security on the hinge side
- 7 Two hinge-side securities: the opposite wedges get caught when the door is closed and offer additional protection against prying on the hinge side
- 8 Strong and massiv aluminium panel: meets RC 2 requirements

ON REQUEST THE PLUS IN SAFETY

9 P4A safety glazing: One pane consists of a composite of two panes with integrated security foil. Furthermore, the glazing is glued circumferential with a special adhesive in the glass cut-out. Thus, the glass connection is secured. | Safety execution RC 2 against surcharge

The status RC 2 TESTED achieve the following front doors

- ✓ Without glass cut-out through standard equipment:
 HT A 24-201 | HT A 24-203 | HT A 24-213 | HT A 24-215 | HT A 24-220 | HT A 24-226 | HT A 24-707 | HT A 24-709
- ✓ Through the use of an additional P4A protective glazing:
 HT A 24-205 | HT A 24-206 | HT A 24-207 | HT A 24-216 | HT A 24-218 | HT A 24-219
 HT A 24-701 | HT A 24-702 | HT A 24-703 | HT A 24-705 | HT A 24-706 | HT A 24-710


TECHNICAL DATA

MATERIAL	aluminium-wood
SYSTEM	AHT 1-95 / 3-95 with Classic- or Art-shell
GASKETS	3 pieces
GLAZING	triple glazing, with warm edge
WOOD SPECIES	pine or spruce
WOOD SURFACE	4-layer colour application, colours according to KNEER-SÜDFENSTER colour chart
ALUMINIUM SURFACE	aluminium shell powdercoated highly weather resistant door with panel in the standard colours according to aluminium colour chart (wood decors are not possible) special colours according to RAL are possible fine structur and highly weather resistant if possible
LOCK	automatic-lock as multipoint locking with daytime function, without E-opener
CYLINDER	profile cylinder with emergency and danger function, drill protection and 5 keys
HINGES	3 roller hinges
MAX. SIZE	1150 x 2250 mm frame outer dimension
MIN. SIZE	980 x 1980 mm frame outer dimension
OTHER	patented Keilfalz on the hinge side as a prying protection

		■ *	
U _D -VALUE	AHT 3-95		
MODEL	CATEGORY	U _D -VALUE PINE	U _D -VALUE SPRUCE
HT A 24-215	PREMIUM+	$0,75\mathrm{W/m^2K}$	$0,71 W/m^2 K$
HT A 24-220	PREMIUM+	$0,75\mathrm{W/m^2K}$	$0,71 W/m^2 K$
HT A 24-226	PREMIUM+	$0,75\mathrm{W/m^2K}$	$0,71 W/m^2 K$
HT A 24-201 HT A 24-203 HT A 24-205 HT A 24-206 HT A 24-213 HT A 24-216 HT A 24-218	PREMIUM PREMIUM PREMIUM PREMIUM PREMIUM PREMIUM PREMIUM	0,75 W/m ² K 0,75 W/m ² K 0,84 W/m ² K 0,84 W/m ² K 0,82 W/m ² K 0,75 W/m ² K 0,86 W/m ² K	0,71 W/m ² K 0,71 W/m ² K 0,79 W/m ² K 0,79 W/m ² K 0,78 W/m ² K 0,71 W/m ² K 0,79 W/m ² K
HT A 24-219 HT A 24-701 HT A 24-702	BASIC+	0,81 W/m ² K 0,84 W/m ² K 0,88 W/m ² K	0,77 W/m ² K 0,79 W/m ² K 0,84 W/m ² K
HTA 24-702	DASIC"	U,00 VV/111TK	0,04 W/IIITK

U _D -VALUE	AHT 3-95	*	
MODEL	CATEGORY	U _D -VALUE PINE	U _D -VALUE SPRUCE
HT A 24-703	BASIC+	0,85 W/m ² K	0,81 W/m ² K
HT A 24-705	BASIC+	0,83 W/m ² K	0,79 W/m ² K
HT A 24-706	BASIC+	0,83 W/m ² K	0,79 W/m ² K
HT A 24-707	BASIC+	$0,75 \text{W/m}^2 \text{K}$	$0,71 W/m^2 K$
HT A 24-709	BASIC+	0,75 W/m ² K	0,71 W/m ² K
HT A 24-710	BASIC+	0,86 W/m ² K	0,82 W/m ² K
U _D -VALUE	AHT 1-95	*	
MODEL	CATEGORY	U _D -VALUE PINE	U _D -VALUE SPRUCE
HT A 24-127	BASIC	0,97 W/m ² K	0,92 W/m ² K
HT A 24-128	BASIC	$1,0 \text{ W/m}^2\text{K}$	0,97 W/m ² K
HT A 24-129	BASIC	$1,1 \text{W/m}^2 \text{K}$	$1,0 \text{ W/m}^2\text{K}$
HT A 24-130	BASIC	1,1 W/m ² K	1,0 W/m ² K
,		, ,	,


\overrightarrow{A}



TECHNICAL DATA

aluminium-wood MATERIAL SYSTEM AHT 3-105 Modern (system cannot be selected at BASIC and BASIC+) GASKETS 3 pieces GLAZING triple glazing, with warm edge WOOD SPECIES pine or spruce WOOD SURFACE 4-layer colour application, colours according to KNEER-SÜDFENSTER colour chart ALUMINIUM aluminium shell powdercoated highly weather resistant SURFACE door with panel in the standard colours according to aluminium colour chart (wood decors are not possible) special colours according to RAL are possible fine structur and highly weather resistant if possible LOCK automatic-lock as multipoint locking with daytime function, without E-opener CYLINDER profile cylinder with emergency and danger function, drill protection and 5 keys HINGES 3 fully concealed hinges MAX. SIZE 1150 x 2250 mm frame outer dimension MIN. SIZE 980 x 1980 mm frame outer dimension

U _D -VALUE A	HT 3-105 MC	DDERN *	
MODEL	CATEGORY	U _D -VALUE PINE	U _D -VALUE SPRUCE
HT A 24-215	PREMIUM*	0,78 W/m ² K	0,73 W/m ² K
HT A 24-220	PREMIUM+	0,78 W/m ² K	0,73 W/m ² K
HT A 24-226	PREMIUM+	0,78 W/m ² K	0,73 W/m ² K
HT A 24-201	PREMIUM PREMIUM	0,78 W/m ² K	0,73 W/m ² K 0,73 W/m ² K
HT A 24-205	PREMIUM	0,85 W/m ² K	0,80 W/m²K
HT A 24-206	PREMIUM	0,85 W/m ² K	0,80 W/m ² K
HT A 27-207	PREMIUM	0,84 W/m ² K	0,80 W/m ² K
HT A 24-213	PREMIUM	0,78 W/m ² K	0,73 W/m ² K
HT A 24-216	PREMIUM	0,86 W/m²K	0,81 W/m ² K
HT A 24-218	PREMIUM	0,85 W/m²K	0,81 W/m ² K
HT A 24-219	PREMIUM	0,83 W/m ² K	0,79 W/m ² K



ALSO AVAILABLE

ST A 1, ST A 2 and ST A 3 possible (max. width 9	10 mm)
31 / 1, 31 / 2 and 31 / 3 possible (max. width /	
	ST A 1 ST A 2 ST A 3
GLAZING	
VSG 6 mm	
glass sand-blasted with clear edge or clear stripe for entrance door or side light	95
SYSTEM	
Entrance door system AHT 3-115	ineligible by Basic +
Entrance door system AHT 3-105 Modern	ineligible by Basic +
Side light AHT 3-115/AHT 3-105 Modern	ineligible by Basic +
ACCESS OPTIONS	
Electric opener	
Automatic lock as multipoint locking with M-Ope	ener
Full motorized lock without adaptor	
Types of wood: pine, spruce, meranti, larch, oak	
SECURITY / MISCELLANEOUS	
Safety execution RC 2 for entrance door	
Mirror on the inside of the entrance door	
COLOURS	
pg 1-2	included in the basic price
pg 3-5	

NOTE

There might be slight deviations in colour due to printing process.

KNEER - SÜD **FENSTER**

Lived Vision



KNEER GmbH Fenster und Türen

Horst-Kneer-Straße 1 D-72589 Westerheim phone: +49 (0) 7333 / 83-0 e-Mail: info@kneer.de

SÜD-FENSTERWERK

GmbH & Co. Betriebs-KG

Rothenburger Straße 39 D-91625 Schnelldorf phone: +49 (0) 7950 / 81-0 e-Mail: info@suedfenster.de

SÜD-BAUELEMENTE GmbH

Ludwig-Erhard-Straße 4 D-03238 Massen

phone: +49 (0) 3531 / 799-114 e-Mail: info@suedfenster.de



WWW.KNEER-SUEDFENSTER.DE

Your KNEER-SÜDFENSTER specialized dealer: