

Lived Vision

4.1

ENTRANCE DOORS PRIME MODELS

2023

ALUMINIUM-WOOD

aluminium-wood entrance doors

PRIMEMODELS 2023

Sophisticated front doors

The decisive factor for your well-considered purchase decision is certainly the appearance. The spark must jump over. Whether modern, classic, purist or charming - the front door must suit you and the style of your house. Aluminium-wood front doors from KNEER-SÜDFENSTER are not only beautiful to look at and inviting, but also convince through inner values such as a robust construction, high security and good thermal insulation.

> An innovative, technically mature front door fulfills its tasks for many years and looks very good at the same time!



PLEASE CONSIDER The proportions of the entrance doors may differ from the illustration depending on the size of the door. Object mapping may vary due to the system. There might be slight deviations in colour due to printing process.

2

Welcome to Kneer-Südfenster

For 90 years the family business KNEER-SÜDFENSTER has been producing high-quality building elements for demanding clients from aluminum-wood, wood, aluminum, aluminum-plastic and plastic.

Around 800 employees manufacture windows, lift-and-slide doors, mullion-transom facades and entrance doors according to the latest findings in the highest quality for customers all over the world.



ENTRANCE DOORS MODELS	4
ALUMINIUM COLOURS PG1	22
WOOD TYPES & COLOURS	23
GLAZING	24
STAINLESS STEEL EQUIPMENT	25
BLACK EQUIPMENT	26
SMART-HOME	27
SPECIAL EQUIPMENT	28
SAFETY TECHNOLOGY	30
TECHNICAL DATA	32
ALSO AVAILABLE	36
MODEL OVERVIEW	38





HT A 23-220


Standard Equipment colour HWF-7773-FME cast iron wood type spruce AH-LAS-101-05 round rosette BA 3518

TIMELESS ELEGANT

Behind the charming exterior hides the latest technology and innovative security equipment of resistance class RC 2. A modern entrance door means more protection, security and well-being.

Standard Equipment

automatic-lock with daytime function | fully concealed hinges | LED-handle illumination | colour HWF-RAL9005-FMA jet black wood type inside pine or spruce | handle aluminium in powdercoated RAL 9005 jet black fine structure matt | round rosette freely selectable ① Only available with illustrated handle in jet black or silver







HT A 23-221

Standard Equipment frame colour HWF-RAL9005-FMA jet black door leaf colour HWF-DB703-FME DB 703 wood type spruce AH-LAS-101-05 round rosette BA 3518


WELCOME AT HOME

A light and airy feeling of life welcomes you at this entrance door, which gives your home a very personal touch: Sweeping, dynamic and design-oriented, it reflects the style of the residents.

Standard Equipment

automatic-lock with daytime function | fully concealed hinges | colour HWF-RAL9005-FMA jet black | wood type inside pine or spruce curved handle aluminium in powdercoated RAL 9005 jet black fine structure matt | round rosette freely selectable

! Only available with illustrated handle in jet black or silver





HANDLE Also Available in Stainless Steel



HT A 23-226

Standard Equipment frame colour HWF-RAL9005-FMA jet black door leaf Art-Beton wood type spruce AH-LAS-101-05

The concrete-look is only possible on the outside.

THE AESTHETIC LIES IN THE RESTRAINT

Rough surface embossed with pores: the concrete-appearance is timeless and elegant. The combination with wood inside is an intersting mix: A unique entrance door with unmistakable appearance for discerning builders with a faible for the special.

Standard Equipment

automatic-lock with daytime function | fully concealed hinges | colour HWF-RAL9005-FMA jet black door leaf outside Art-Beton | wood type inside pine or spruce | handle BA 3056 | round rosette BA 3518

HT A 23-226 frame colour HWF-RAL9005-FMA jet black door leaf Art-Beton | handle BA 3056 | round rosette BA 3518







HT A 23-227

Standard Equipment frame colour HWF-RAL9005-FMA jet black door leaf wood decor oak Malt wood type spruce AH-LAS-101-05 round rosette BA 3518

The wood decor look is only possible on the outside

HARMONY WITH WOODEN LOOK

A lovingly designed entrance area gives us the feeling of being welcomed with open arms and delights us every day again. Due to the different view optics in the exterior and interior, as well as diverse color options, the individual taste is perfectly expressed.

Standard Equipment

automatic-lock with daytime function | fully concealed hinges | colour HWF-RAL9005-FMA jet black | door leaf outside wood decor oak Malt wood type inside pine or spruce | curved handle aluminium in powdercoated RAL 9005 jet black fine structure matt | round rosette freely selectable ① Only available with illustrated handle in jet black or silver





EQUIPMENT ALSO AVAILABLE IN STAINLESS STEEL



HT A 23-215

colour HWF-DB703-FME DB 703 internal grip plate round rosette BA 3518 | grooves LED lighting optional



HT A 23-219


frame colour HWF-RAL9005-FMA jet black door leaf colour HWF-DB703-FME DB 703 handle BA 3053 | round rosette BA 3518 glazing satinato white jet black applications

HT A 23-215 ALSO AVAILABLE WITH LED LIGHTING



HARMONIUOS LOOK

Your new entrance door should meet many requirements: First and foremost, it must please you, but it must also fit your house. It should be extremely robust, weatherproof and easy to clean. You also attach great importance to security. So you expect a high level of burglar resistance. And then there is the thermal and sound insulation! All these wishes are fulfilled with aluminumwood entrance doors from KNEER-SÜDFENSTER without any problems.





EQUIPMENT ALSO AVAILABLE IN STAINLESS STEEL



HTA 23-205

frame colour HWF-RAL9005-FMA jet black door leaf colour HWF-RAL9006-FME white aluminium handle BA 3055 | round rosette BA 3518 jet black applications | partially sandblasted glass in the number field glass and house number Iso light



HT A 23-216 frame colour HWF-RAL9005-FMA jet black door leaf colour HWF-RAL9007-FME grey aluminium handle BA 3055 | round rosette BA 3518 glass partially sandblasted




HTA 23-206

frame colour HWF-RAL9005-FMA jet black door leaf colour HWF-RAL9006-FME white aluminium handle BA 3055 | round rosette BA 3518 jet black stripes | glazing satinato white



HT A 23-218 frame colour HWF-RAL9005-FMA jet black door leaf colour HWF-RAL9007-FME grey aluminium handle BA 3055 | round rosette BA 3518 grooves | glazing satinato white



PREMIUM

EQUIPMENT ALSO AVAILABLE IN JET BLACK



HT A 23-201 colour HWF-RAL9016-FMA traffic white

handle BA 3001 | round rosette BA 3502 stainless steel base plate



HT A 23-203 colour HWF-RAL9007-FME grey aluminium handle BA 3001 | round rosette BA 3502 stainless steel stripes

OAK & LARCH **CROSS VENEERED**




STYLISH WOOD VENEERS

The door leaf can be designed in the interior in the types of wood oak and larch. The cross veneer is executed brushed. The colour differences and rough branches are deliberately emphasized. The veneer of the surface is much more knotty and lively like that of the oak.

The expression of the individual veneers can nevertheless vary. The frame is executed in a covering shade.



HTA 23-207 colour HWF-RAL9007-FME grey aluminium handle round stainless steel special edition model BA 3070, 500 mm round rosette BA 3502 | stainless steel stripes | glass sandblasted with clear stripes



BASIC+









HTA 23-703 colour HWF-RAL7016-FMA anthracite grey glazing satinato white | handle BA 3047, 1600 mm



HT A 23-702 colour HWF-RAL9016-FMA traffic white glazing satinato white | handle BA 3047, 1600 mm



HTA 23-705 colour HWF-RAL7016-FMA anthracite grey glazing satinato white | handle BA 3047, 1600 mm





ALL MODELS ONLY WITH THE SHOWN HANDLES AVAILABLE



HTA 23-706 colour HWF-RAL9016-FMA traffic white glazing satinato white | handle BA 3047, 1600 mm



HTA 23-709 colour HWF-RAL7016-FMA anthracite grey handle BA 3047, 1600 mm | stainless steel stripes



HT A 23-707 colour HWF-RAL9016-FMA traffic white handle BA 3047, 1600 mm



HTA 23-710 colour HWF-RAL7016-FMA anthracite grey glazing satinato white | handle BA 3047, 1600 mm

BASIC

ALL MODELS ONLY WITH THE SHOWN HANDLES AVAILABLE



HT A 23-127 colour HWF-RAL9016-FMA traffic white glazing satinato white | handle BA 3071, 1000 mm



HTA 23-129 colour HWF-RAL7016-FMA anthracite grey glazing satinato white | handle BA 3071, 1000 mm



HT A 23-128 colour HWF-RAL9016-FMA traffic white glazing satinato white | handle BA 3071, 1000 mm



HTA 23-130 colour HWF-RAL7016-FMA anthracite grey glazing satinato white | handle BA 3071, 1000 mm

your possibilities

ALUMINIUM COLOURS PG1



your possibilities WOOD TYPES & COLOURS

PINE | SPRUCE SPRUCE PINE | SPRUCE PINE | SPRUCE PINE | SPRUCE AH-DMA-150-05 AH-LAS-101-05 AH-LAS-100-10 AH-LAS-100-09 AH-LAS-102-05 PINE | SPRUCE PINE PINE | SPRUCE PINE | SPRUCE PINE AH-LAS-107-53 AH-LAS-105-01 LAS-44-14 AH-LAS-103-13 AH-OEL-202-54 PINE PINE PINE PINE PINE LAS-16-09 LAS-19-03 LAS-18-02 LAS-40-02 LAS-31-01 HINWEIS Cross veneer wood surfaces are not



LARCH CROSS VENEERED OAK CROSS VENEERED brushed light



brushed light

possible with **BASIC** entrance doors

ON REQUEST WITH CROSS VENEER

Additonally you can get the wood types oak and larch. The cross veneers are executed brushed and get a bright colour. The colour differences and rough branches are deliberately emphasized. The veneer of larch is much more knotty and lively as that of the oak. The expression of the individual veneers can nevertheless vary.

For the door frame these two colors are not available, as a combination we recommend an opaque color such as RAL 9005 jet black to match the **black equipment** section.

your possibilities

GLAZING

To make your new front door even more individual, we offer special glasses for you to choose from. In addition to Iso light, we also offer various ornamental glass types. Or would you prefer Satinato white with a clear edge? Very elegant!



SATINATO WHITE*



MASTERCARRE WHITE*



SATINATO WITH CLEAR EDGE



CHINCHILLA WHITE*



SILVIT WHITE



GOTHIK WHITE



MADRAS PAVE WHITE



MADRAS UADI WHITE



BAROCK WHITE



ON REQUEST WITH MIRROR ON THE INSIDE

All doors without glass cutout are perfectlysuitable for designing with a large mirror (approx. 30 cm wide). This is a decorative as well as practical design and changes the design in the entrance area.

 The following doors are available with mirror:

 HT A 23-201 | HT A 23-203 | HT A 23-215 | HT A 23-220 | HT A 23-221

 HT A 23-226 | HT A 23-227 | against surcharge

STAINLESS STEEL EQUIPMENT



INTERIOR HANDLES & EXTERIOR ROSETTES

PREMIUM, **BASIC**⁺ and **BASIC** front doors are standardly equipped with stainless steel fittings and interior handle BA 3502. On request, a handle can be selected on the outside instead of the handle bar. The outside lever handle is identical with the inside lever handle (without surcharge). You will receive 5 keys in the standard.



INTERIOR HANDLE ROUND type: BA 3502



INTERIOR HANDLE ANGULAR type: BA 3506



PROFILE CYLINDER with drilling protection and 5 reversible keys



PLANO-ROSETTE ROUND with interior handle round type: BA 3522



PLANO-ROSETTE ANGULAR with interior handle angular type: BA 3523

your possibilities

BLACK EQUIPMENT



Fully on trend:

Accessories in an elegant very intense black. Mysterious, traditional and fascinating. Magical forces captivate your visitors and convey an enchanting, sparkling atmosphere of well-being.

Surprise family, friends and acquaintances with a high quality entrance door made especially for you, including the most state-of-the-art technology.



For **PREMIUM** entrance doors you can choose between these handle bars



HANDLE BAR HALF-ROUND dimension and type:

1480 mm	-	BA 3052
1280 mm	-	BA 3053
1040 mm	-	BA 3054



HANDLE BAR ROUND dimension and type:

1480 mm	-	BA 3055
1200 mm	-	BA 3056
500 mm	-	BA 3057



INTERIOR HANDLE ROUND cylinder cover: round rosette type: BA 3518



PLANO-ROSETTE ROUND with interior handle round type: BA 3519



FINGERPRINT



BASE PLATE



APPLICATIONS



STRIPES

your possibilities SMART-HOME

SAFETY BEGINS OUTSIDE THE DOOR

SmartConnect door is a modern, smart video door intercom system that opens up new possibilities for you. Via tablet or smartphone you can always and everywhere get in touch with your visitors, even if you are not at home. The small and discreet door module also contains a smart home server that can be used to manage users and access authorizations in addition to opening the door.

ΝΟΤΕ

SmartConnect door is not possible with **BASIC** entrance doors



COMFORTABLE OPERABILITY

- ✓ Intuitive operation of the door intercom system via smartphone app
- Location-independent interaction with visitors authorized mobile devices receive a push message as soon as the bell is rung
- ✓ Individual user administration with time profiles



HIGH SECURITY

- ✓ High system security through secure encryption and user accounts
- ✓ You can see your visitors, speak with them, open the door a log of everything that happens in front of your entrance door
- ✓ Additional security: A presence is suggested to the person ringing the bell and you can see who is at your entrance door at all times



ΝΟΤΕ

For SmartConnect door, the door must be near a WLAN network

your possibilities SPECIAL EQUIPMENT

ACCESS OPTIONS

All doors are equipped as standard with an automatic lock (without E-opener).

By pulling the door, the latch bolts at the top and bottom of the door automatically move 20 mm into the bolting bar. As a result, the door is always locked - without locking with the key. A day trap (also called snapper or latch) is also integrated in the lock, however, the automatic locking must be deactivated for use.

1 E-OPENER

Electric door opener - for using, the automatic lock has to be deactivetad manually. The E-opener is integrated in the face plate.

- ✓ Easy opening of the door by actuation of e.g. the domestic intercom system
- ✓ No need to walk to the door

2 AUTOMATIC LOCK WITH M-OPENER

Door opener with motor-driven release - By pulling the door closed the multipoint lock will be activated without locking it. Releasing is done by pressing the handle or for instance by a domestic intercom system. Electrical opening options such as fingerprint or domestic intercom system are overriden by manual relocking.

- ✓ Maximum security without locking
- ✓ The automatic and the motorised locking complement each other
- ✓ Ideal for access system in single and multi-family houses

3 FULL MOTORIZED LOCK


Opening and closing is motorized - as if by magic. As soon as the door falls into the lock, the lock independently closed, without any manual closing. The opening of the door is comfortably motorized via door opener the intercom system or via access systems.

- ✓ Maximum comfort and security
- ✓ Increased tightness
- ✓ Panic function as standard, opening the door from insinde is always guaranteed

FULLY CONCEALED HINGES

All **PREMIUM** + front doors are equipped with concealed hinges as standard.

You have the possibility to upgrade all **PREMIUM**, **BASIC** + and **BASIC** front doors with concealed hinges.



FINGERPRINT ACCESS SYSTEM INCLUDING M-OPENER



JET BLACK

 \checkmark

The fingerprint includes the M-opener listed above. The automatic locking and motorized unlocking is thus ensured and thus increases the safety. Electrical opening options such as fingerprint or domestic intercom system are overriden by manual relocking.

- \checkmark comfortable operation, you don't have to carry a key
 - external access is not only possible via the key but also via the fingerprint - you have the choice
- the door is always closed and thus provides maximum security \checkmark
- ✓ our fingers are unique and cannot be replicated or get lost, the fingerprint ages with you
- pull the taught fi nger over the scanner, the green light will \checkmark illuminate and the door will unlock



(1)INTEGRATED IN THE DOOR LEAF fingerprint in jet black



(2) INTEGRATED IN THE HANDLE BAR

push bar half-round with fingerprint available in two lengths. Installation height of the fingerprint approx. between 1200 mm and 1600 mm depending on the door height and mode.


push bar length 1280 mm	-	BA 3041
push bar length 1480 mm	-	BA 3042
or integrated in the handle bar	of mode	el HT A 23-227

OPTIONALLY SINGLE SPACE MONITORING

With this variant you have the option to delete or shut down indivudual fingers. Controllable only via App (if you have a smartphone with Bluetooth-function).

SECURITY AND SAFETY FOR YOUR HOME

Your new entrance door should be inviting for visitors and deterrent for burglars. First and foremost, it must guarantee safety because burglars choose this way more and more often. Even with the basic equipment we therefore attach great importance to the solid safety mechanism.





SAFETY COMPONENTS

STANDARD EQUIPMENT

- 1 Lock tested corresponding to security class RC 2: When closing the door the latch bolts drive 20 mm into the bolting bar via a magnetic impuls at the top and bottom of the door. Therefore the door is always closed - without re-closing with a key.
- 2 The main bolt can be locked with a key turn the lever blocks for control purposes, as a child safety lock and for maximum security.
- 3 Continuous bolting bar: protection against prying on the lock side

ON REQUEST THE PLUS IN SAFETY

- 4 Cylinder with drill protection
- 5 5 Interior handle in stainless steel with exterior cylinder cover: serves as a pull protection for the cylinder
- 6 Stable roller conveyor: triple security on the hinge side
- 7 Two hinge-side securities: the opposite wedges get caught when the door is closed and offer additional protection against prying on the hinge side
- 8 Strong and massiv aluminium panel: meets RC 2 requirements
- 9 P4A safety glazing: One pane consists of a composite of two panes with integrated security foil. Furthermore, the glazing is glued circumferential with a special adhesive in the glass cut-out. Thus, the glass connection is secured. | Safety execution RC 2 against surcharge

The status RC 2 TESTED achieve the following front doors

- ✓ Without glass cut-out through standard equipment:
 HT A 23-201 | HT A 23-203 | HT A 23-215 | HT A 23-220 | HT A 23-221 | HT A 23-226 | HT A 23-227
- ✓ Through the use of an additional P4A protective glazing:
 HT A 23-205 | HT A 23-206 | HT A 23-207 | HT A 23-216 | HT A 23-218 | HT A 23-219

aluminium-wood entrance doors | system 1-95 & 3-95

TECHNICAL DATA

MATERIAL	aluminium-wood
SYSTEM	AHT 1-95 / 3-95 with Classic- or Art-shell
GASKETS	3 pieces
GLAZING	triple glazing, with warm edge
WOOD SPECIES	pine or spruce
WOOD SURFACE	4-layer colour application, colours according to KNEER-SÜDFENSTER colour chart
ALUMINIUM SURFACE	aluminium shell powdercoated highly weather resistant door with panel in the standard colours according to aluminium colour chart (wood decors are not possible) special colours according to RAL are possible fine structur and highly weather resistant if possible
LOCK	automatic-lock as multipoint locking with daytime function, without E-opener
CYLINDER	profile cylinder with emergency and danger function, drill protection and 5 keys
HINGES	3 concealed hinges
MAX. SIZE	1150 x 2250 mm frame outer dimension
MIN. SIZE	980 x 1980 mm frame outer dimension
OTHER	patented Keilfalz on the hinge side as a prying protection

	\ / A		-		лт.	<u> </u>	OE
U	V A	LU	E .	АГ		5-	95


MODEL	CATEGORY	U _D -VALUE PINE	U _D -VALUE SPRUCE
HT A 23-220	PREMIUM+	0,75 W/m²K	0,71 W/m²K
HT A 23-221	PREMIUM+	0,75 W/m²K	0,71 W/m²K
HT A 23-226	PREMIUM+	0,75 W/m²K	0,71 W/m²K
HT A 23-227	PREMIUM+	0,75 W/m²K	0,71 W/m²K
HT A 23-201	PREMIUM	0,75 W/m²K	0,71 W/m²K
HT A 23-203	PREMIUM	0,75 W/m²K	0,71 W/m²K
HT A 23-205	PREMIUM	0,84 W/m²K	0,79 W/m²K
HT A 23-206	PREMIUM	0,84 W/m²K	0,79 W/m²K
HT A 23-207	PREMIUM	0,82 W/m²K	0,78 W/m²K
HT A 23-215	PREMIUM	0,75 W/m²K	0,71 W/m²K
HT A 23-216	PREMIUM	0,86 W/m²K	0,81 W/m²K
HT A 23-218	PREMIUM	0,84 W/m²K	0,79 W/m²K
HT A 23-219	PREMIUM	0,81 W/m²K	0,77 W/m²K
HT A 23-701	BASIC+	0,84 W/m²K	0,79 W/m²K
HT A 23-702	BASIC+	0,88 W/m²K	0,84 W/m²K


U_D-VALUE AHT 3-95

MODEL	CATEGORY	U _D -VALUE PINE	U _D -VALUE SPRUCE
HT A 23-703	BASIC+	0,85 W/m²K	0,81 W/m²K
HT A 23-705	BASIC+	0,83 W/m²K	0,79 W/m²K
HT A 23-706	BASIC+	0,83 W/m²K	0,79 W/m²K
HT A 23-707	BASIC+	0,75 W/m²K	0,71 W/m²K
HT A 23-709	BASIC+	0,75 W/m²K	0,71 W/m²K
HT A 23-710	BASIC+	0,86 W/m²K	0,82 W/m²K

U_{D} -VALUE AHT 1-95

MODEL	CATEGORY	U _D -VALUE PINE	U _D -VALUE SPRUCE
HT A 23-127	BASIC	0,97 W/m²K	0,92 W/m²K
HT A 23-128	BASIC	1,0 W/m²K	0,97 W/m²K
HT A 23-129	BASIC	1,1 W/m²K	1,0 W/m²K
HT A 23-130	BASIC	1,1 W/m²K	1,0 W/m²K






aluminium-wood entrance doors | system 3-105 Modern

TECHNICAL DATA

MATERIAL	aluminium-wood
SYSTEM	AHT 3-105 Modern (system cannot be selected at BASIC and BASIC+)
GASKETS	3 pieces
GLAZING	triple glazing, with warm edge
WOOD SPECIES	pine or spruce
WOOD SURFACE	4-layer colour application, colours according to KNEER-SÜDFENSTER colour chart
ALUMINIUM SURFACE	aluminium shell powdercoated highly weather resistant door with panel in the standard colours according to aluminium colour chart (wood decors are not possible) special colours according to RAL are possible fine structur and highly weather resistant if possible
LOCK	automatic-lock as multipoint locking with daytime function, without E-opener
CYLINDER	profile cylinder with emergency and danger function, drill protection and 5 keys
HINGES	3 concealed hinges
MAX. SIZE	1150 x 2250 mm frame outer dimension
MIN. SIZE	980 x 1980 mm frame outer dimension

U_{p} -VALUE AHT 3-105 MODERN

MODEL	CATEGORY	U _D -VALUE PINE	U _D -VALUE SPRUCE
HT A 23-220	PREMIUM+	0,78 W/m²K	0,73 W/m²K
HT A 23-221	PREMIUM+	0,78 W/m²K	0,73 W/m²K
HT A 23-226	PREMIUM+	0,78 W/m²K	0,73 W/m²K
HT A 23-227	PREMIUM+	0,78 W/m²K	0,73 W/m²K
HT A 23-201	PREMIUM	0,78 W/m²K	0,73 W/m²K
HT A 23-203	PREMIUM	0,78 W/m²K	0,73 W/m²K
HT A 23-205	PREMIUM	0,85 W/m²K	0,80 W/m²K
HT A 23-206	PREMIUM	0,85 W/m²K	0,80 W/m²K
HT A 23-207	PREMIUM	0,84 W/m²K	0,80 W/m²K
HT A 23-215	PREMIUM	0,78 W/m²K	0,73 W/m²K
HT A 23-216	PREMIUM	0,86 W/m²K	0,81 W/m²K
HT A 23-218	PREMIUM	0,85 W/m²K	0,81 W/m²K
HT A 23-219	PREMIUM	0,83 W/m²K	0,79 W/m²K



aluminium-wood entrance doors

ALSO AVAILABLE

SIDE LIGHTS

ST A 1, ST A 2 and ST A 3 possible (max. width 910 mm)

GLAZING

VSG 6 mm



SYSTEM

Entrance door system AHT 3-115 Entrance door system AHT 3-105 Modern Side light AHT 3-115/AHT 3-105 Modern

ACCESS OPTIONS

Electric opener Automatic lock as multipoint locking with M-Opener Full motorized lock without adaptor

SECURITY / MISCELLANEOUS

Safety execution RC 2 for entrance door Safety execution RC 2 for side lights Mirror on the inside of the entrance door LED lighting HT A 23-215 Sandblasted glass with clear edge or clear stripes (entrance door and/or side light) per door or side light

COLOURS

pg 1-2 pg 3-5 ineligible by Basic +

ineligible by Basic +

ineligible by Basic +

included in the basic price

NOTE

There might be slight deviations in colour due to printing process.



aluminium-wood entrance doors

MODEL OVERVIEW



HT A 23-220 > page 4



HT A 23-219 > page 12



HT A 23-201 > page 16



HT A 23-703 > page 18



HT A 23-710 > page 20



HT A 23-221 > page 6



HT A 23-205 > page 14



HT A 23-203 > page 16



HT A 23-705 > page 18

B>



HT A 23-127

> page 21



HT A 23-226 > page 8



HT A 23-206 > page 14



HT A 23-207 > page 16



HT A 23-706 > page 20



HT A 23-128 > page 21



HT A 23-227 > page 10



HT A 23-216 > page 14



HT A 23-701 > page 18



HT A 23-707 > page 20



HT A 23-129 > page 21



HT A 23-215 > page 12



HT A 23-218 > page 14



HT A 23-702 > page 18



HT A 23-709 > page 20



HT A 23-130 > page 21



Lived Vision



KNEER GmbH Fenster und Türen

Horst-Kneer-Straße 1 D-72589 Westerheim phone: +49 (0) 7333 / 83-0 e-Mail: info@kneer.de

SÜD-FENSTERWERK GmbH & Co. Betriebs-KG

Rothenburger Straße 39 D-91625 Schnelldorf phone: +49 (0) 7950 / 81-0 e-Mail: info@suedfenster.de

SÜD-BAUELEMENTE GmbH

Ludwig-Erhard-Straße 4 D-03238 Massen phone: +49 (0) 3531 / 799-114 e-Mail: info@suedfenster.de



Your KNEER-SÜDFENSTER specialized d	ealer:	