

**KNEER · SÜD**  
**FENSTER**

Lived Vision



ENTRANCE DOORS  
**PRIME** MODELS

2023

SECURE SIDE ENTRANCE DOORS

# PRIME MODELS 2023

## WOOD MODELS



**NTA 1**  
wood type meranti  
colour RAL 7016 anthracite grey  
glazing Iso light



**NTA 2**  
wood type meranti  
colour RAL 7016 anthracite grey



**NTA 3**  
wood type pine  
colour LAS-12-09  
glazing Iso light



**NTA 4**  
wood type pine  
colour LAS-12-09  
glazing Iso light

## uPVC & ALUMINIUM MODELS



**NTA 5**  
colour RAL 9016 traffic white  
glazing Iso light



**NTA 6**  
colour RAL 9016 traffic white



**NTA 7**  
colour RAL 9016 traffic white  
glazing Iso light



**NTA 8**  
colour RAL 9016 traffic white  
glazing Iso light

# SAFETY TECHNOLOGY

## SECURITY AND SAFETY FOR YOUR HOME

As standard, all doors are already equipped with a multiple locking system and solid entrance door hinges. Particularly with rear entrances that are difficult to see, you should attach particular importance to a high level of burglary protection. We therefore recommend our secure side entrance doors with impact resistant P4A safety glazing, cylinder with drill protection and RC 2 tested panel. The handle set with cylinder cover and pull protection is ES 1 tested.

### ON REQUEST THE PLUS IN SAFETY

You can upgrade your side entrance door with the following safety components. You receive your aluminium side entrance door on request with a RC 2 test certificate.

## SAFETY COMPONENTS

⊕ possible

Ⓢ standard



- 1 Hinge-side security:**  
When the door is closed, the opposite wedges get caught. Prying on the hinge side is significantly more difficult.

Ⓢ wood    ⊕ aluminium    ⊕ uPVC
- 2 P4A safety glazing:**  
One of the panes consists of a composite of two panes with integrated security foil. This offers a significantly increased burglary protection.



⊕ wood    ⊕ aluminium    ⊕ uPVC
- 3 Burglar resistant panel:**  
the construction of the panel complicates the breakthrough.

⊕ wood    ⊕ aluminium    ⊕ uPVC
- 4 Glass/panel additionally glued in:**  
the glass/panel is held in the sash by the glass rod as standard. A plus in safety is provided by the adhesion. The glass/panel is glued to the sash with a special adhesive.

⊕ wood    ⊕ aluminium    ⊕ uPVC
- 5 Additional hinge:**  
two solid hinges are supplemented by a third hinge.

⊕ wood    ⊕ aluminium    Ⓢ uPVC
- 6 Cylinder with drill protection and 5 reversible keys:**  
The drill protection makes it difficult to drill out the cylinder.

⊕ wood    ⊕ aluminium    ⊕ uPVC



### NOTE

Our patented Keilfalz on the hinge side is an additional prying protection which fulfills RC 2 criteria.

your possibilities

# COLOURS/GLAZING/ALSO AVAILABLE


## uPVC COLOURS\*



GOLDEN OAK



MAHAGONY



SILVER GREY  
structured



ANTHRACITE GREY  
structured/smooth/matt

## WOOD COLOURS\*




PINE  
LAS-12-09



PINE  
RAL 9016  
traffic white



MERANTI  
RAL 7037  
dusty grey



MERANTI  
RAL 7016  
anthracite grey

## ALUMINIUM COLOURS



You will find a selection of trend colours in the KNEER-SÜDFENSTER aluminium colour chart.

Wood decors are not possible!


## GLAZING



CHINCHILLA  
white



MASTERCARRE  
white



SATINATO  
white

### GLAZING

VSG 6 mm for entrance door  
Ornamental glazing

### SYSTEM

System AT 78  
wood type spruce / meranti

### COLOURS

Wood surface according to KNEER-SÜDFENSTER wood colour chart  
Wood outside grooved panel  
uPVC one-sided foiled  
uPVC two-sided foiled  
uPVC acryl colour outside  
Aluminium according to KNEER-SÜDFENSTER colour chart, no wood decors

### HANDLES

Handle set as shown

### SECURITY / MISCELLANEOUS

Hinge-side security  
P4A safety glazing / panell RC 2 tested  
Gluing the panel / glass with sash frame  
cylinder with emergency and danger function, drill protection and 5 keys  
Additional hinge  
Safety execution RC 2 for aluminium entrance doors

(one side)

(Chinchilla white, Mastercarre white, Satinato white)

(standard)

(standard)

(only possible in KF 694)

(RAL-Design, DB and NCS-colours not possible)

(optional handle/handle, ES1 tested with drilling protection)

\* Excerpts from the KNEER-SÜDFENSTER colour chart

# KNEER - SÜD FENSTER

Lived Vision



WWW.KNEER-SUEDFENSTER.DE

Your KNEER-SÜDFENSTER specialized dealer:

Subject to printing errors, mistakes and amendments. © KNEER-SÜDFENSTER