


PRIMEMODELS 2024

Sophisticated front doors

The decisive factor for your well-considered purchase decision is certainly the appearance.

The spark must jump over. Whether modern, classic, purist or charming - the front door must suit you and the style of your house. uPVC front doors from KNEER-SÜDFENSTER are not only beautiful to look at and inviting, but also convince through inner values such as a robust construction, high security and good thermal insulation.

An innovative, technically mature front door fulfills its tasks for many years and looks very good at the same time!



Welcome to Kneer-Südfenster

For 90 years the family business KNEER-SÜDFENSTER has been producing high-quality building elements for demanding clients from aluminum-wood, wood, aluminum, aluminum-plastic and plastic.

Around 800 employees manufacture windows, lift-and-slide doors, mullion-transom facades and entrance doors according to the latest findings in the highest quality for customers all over the world.



ENTRANCE DOORS MODELS	4
COLOURS & GLAZING	12
INTERIOR HANDLES & EXTERIOR ROSETTES	13
SAFETY TECHNOLOGY	14
TECHNICAL DATA	16
ALSO AVAILABLE	18

PREMIUM

ALL MODELS ONLY WITH THE SHOWN HANDLES AVAILABLE



HT A 24-113

colour white | glazing satinato white inside: below with cassette and ornamental frame glazing bars between the exterior panels



HT A 24-117

colour anthracite grey | glazing satinato white inside: below with ornamental frame glazing bars between the exterior panes



HTA 24-122

colour white | glazing satinato white inside: below with cassette and ornamental frame



HTA 24-125

colour anthracite grey | glazing satinato white decorative rosette only outside



BASIC+

ALL MODELS ONLY WITH THE SHOWN HANDLES AVAILABLE



HTA 24-105 colour white | glazing satinato white



HT A **24-107** colour anthracite grey glazing satinato white



HTA **24-106** colour white | glazing satinato white



HTA 24-108 colour anthracite grey glazing satinato white



HT A 24-105

uPVC entrance door colour white stainless steel handle bar 1600 mm stainless steel rosette BA 3502

BASIC+

ALL MODELS ONLY WITH THE SHOWN HANDLES AVAILABLE



HTA **24-115** colour white | glazing satinato white



HTA 24-120 colour anthracite grey glazing satinato white



HTA 24-119 colour white | stainless steel pilaster stripes



HTA **24-126** colour anthracite grey



BASIC

ALL MODELS ONLY WITH THE SHOWN HANDLES AVAILABLE



HT A 24-127 colour white | glazing satinato white



HTA 24-129 colour anthracite grey glazing satinato white



HTA 24-128 colour white | glazing satinato white



HTA 24-132 colour anthracite grey glazing satinato white



COLOURS & GLAZING

uPVC COLOURS

A perfect combination of protection and colour. An innovative surface technology gives your entrance doors a natural look, protects the surface and is easy to maintain. For all uPVC entrance doors, you can choose from these six foiling options. You have the option to choose the colour only outside and white inside (one-sided foiled) or both sides the same colour (both-sided foiled).



GOLDEN OAK



MAHAGONY



WALNUT



SILVER GREY structured



ANTHRACITE GREY structured



ANTHRACITE GREY smooth**/ matt*

GLAZING

To make your new front door even more individual, we offer special glasses for you to choose from. In addition to Iso light, we also offer various ornamental glass types. Or would you prefer Satinato white with a clear edge? Very elegant!



CHINCHILLA WHITE



MASTERCARRE WHITE



SATINATO WHITE

INTERIOR HANDLES & EXTERIOR ROSETTES

All entrance door models will be made with stainless steel interior handle. Execution with lever inside and outside without surcharge (exterior lever is the same as interior lever). You get 5 keys as standard.



INTERIOR HANDLE ROUND

for entrance doors KF 404 S material: stainless steel type: BA 3502



INTERIOR HANDLE OVAL

for entrance doors KF 694 material: stainless steel type: BA 3504



PROFILE CYLINDER

with drilling protection and 5 reversible keys



SAFETY TECHNOLOGY


SECURITY AND SAFETY FOR YOUR HOME

Your new entrance door should be inviting for visitors and deterrent for burglars.

 $First\ and\ foremost,\ it\ must\ guarantee\ safety\ because\ burglars\ choose\ this\ way\ more\ and\ more\ often.$

Even with the basic equipment we therefore attach great importance to the solid safety mechanism.





SAFETY COMPONENTS

STANDARD EQUIPMENT

- 1 When closing the door the latch bolts drive above, below and in the middle 10 mm into the bolting bar.
 - Only by additional locking with the key more dead bolts drive into the latch bolt and the door is actually closed.
- 2 Interior handle in stainless steel and round or oval rosette: serves as a pull protection for the cylinder
- 3 Exposed hinges: triple safety on the hinge side

ON REQUEST THE PLUS IN SAFETY

- 4 Two hinge-side securities: the opposite wedges get caught when the door is closed and offer additional protection against prying on the hinge side (surcharge)
- 5 The panel is made with a thicker top layer that withstands external impact for longer. Additionally the glazing consists of a P4A safety glazing: The exterior pane consists of a composite of two panes with integrated security foil. Furthermore, the glazing is glued circumferential with a special adhesive in the glass cutout. Thus, the glass connection is secured (surcharge)
- 6 Panel additionally glued: so that the panel is secured against levering in the sash-frame, the panel will be glued circumferentially with the sash-frame (surcharge)

TECHNICAL DATA


MATERIAL	uPVC
SYSTEM	KF 404 S / KF 694
PANEL	44 mm thick, with warm edge
COLOUR	door with panel RAL 9016 traffic white (foiled/acrylic against surcharge)
LOCK	3 latches lock, without E-opener
CYLINDER	profile cylinder with emergency and danger function, drill protection and 5 keys
HINGES	3 two-piece attachment hinges
MAX. SIZE	1150 x 2250 mm frame outer dimension
MIN. SIZE	1010 x 2050 mm frame outer dimension
HANDLES	stainless steel handle bar 600 mm outside (HT A 24-113, -117, -122 and -125) stainless steel handle bar 1600 mm outside (HT A 24-105, -106, -107, -108, -115, -119, -120 and -126) stainless steel handle bar 1000 mm outside (HT A 24-127, -128, -129 and -132)


U_D-WERTE KF 404 S

MODELL	CATEGORY	U _D -VALUE
HT A 24-113	PREMIUM	$1,0 \text{ W/m}^2\text{K}$
HT A 24-117	PREMIUM	$1,0 \text{ W/m}^2\text{K}$
HT A 24-122	PREMIUM	$1,0 \text{ W/m}^2\text{K}$
HT A 24-125	PREMIUM	1,1 W/m ² K
HT A 24-105	BASIC+	1,0 W/m²K
HT A 24-106	BASIC+	$1,0 \text{ W/m}^2\text{K}$
HT A 24-107	BASIC+	1,0 W/m ² K
HT A 24-108	BASIC+	$1,0 \text{ W/m}^2\text{K}$
HT A 24-115	BASIC+	1,1 W/m ² K
HT A 24-119	BASIC+	0,95 W/m ² K
HT A 24-120	BASIC+	1,1 W/m ² K
HT A 24-126	BASIC+	0,95 W/m²K
HT A 24-127	BASIC	0,93 W/m²K
HT A 24-128	BASIC	$0,97 W/m^2 K$
HT A 24-129	BASIC	$1,0 \text{ W/m}^2\text{K}$
HT A 24-132	BASIC	0,98 W/m ² K

U_D-WERTE KF 694

MODELL	CATEGORY	U _D -VALUE
HT A 24-113	PREMIUM	$1,0 \text{ W/m}^2\text{K}$
HT A 24-117	PREMIUM	1,0 W/m ² K
HT A 24-122	PREMIUM	1,1 W/m ² K
HT A 24-125	PREMIUM	1,1 W/m ² K
HT A 24-105	BASIC+	1,1 W/m ² K
HT A 24-106	BASIC+	1,1 W/m²K
HT A 24-107	BASIC+	1,1 W/m ² K
HT A 24-108	BASIC+	1,1 W/m ² K
HT A 24-115	BASIC+	1,1 W/m ² K
HT A 24-119	BASIC+	0,98 W/m ² K
HT A 24-120	BASIC+	1,1 W/m ² K
HT A 24-126	BASIC+	0,98 W/m ² K
HT A 24-127	BASIC	0,97 W/m ² K
HT A 24-128	BASIC	1,0 W/m²K
HT A 24-129	BASIC	1,0 W/m ² K
HT A 24-132	BASIC	0,99 W/m ² K





ALSO AVAILABLE

SIDE LIGHTS one-sided foiled two-sided foiled / acryl ST A 1 ST A 2 ST A 3 GLAZING Entrance door with Satinato and clear edge VSG 6 mm entrance door or side light COLOURS Premium and Basic + two-sided foiled (acryl not possible) Basic two-sided foiled / acryl (acryl only outside possible) ACCESS OPTIONS Electric opener (only in combination with latch & deadbolt lock without automatic latches) SECURITY / MISCELLANEOUS Hinge-side security P4A glazing / panel burglary resistant Glewing the panel / glass with sash frame

NOTE

There might be slight deviations in colour due to printing process.



Lived Vision



KNEER GmbH Fenster und Türen

Horst-Kneer-Straße 1 D-72589 Westerheim phone: +49 (0) 7333 / 83-0 e-Mail: info@kneer.de

SÜD-FENSTERWERK

GmbH & Co. Betriebs-KG

Rothenburger Straße 39 D-91625 Schnelldorf phone: +49 (0) 7950 / 81-0 e-Mail: info@suedfenster.de

SÜD-BAUELEMENTE GmbH

Ludwig-Erhard-Straße 4 D-03238 Massen

phone: +49 (0) 3531 / 799-114 e-Mail: info@suedfenster.de



WWW.KNEER-SUEDFENSTER.DE

Your KNEER-SOUPENSTER specialized dealer: